

IGNITION WIRES

Original Equipment Quality (ISO9001:2015 / TS16949 Compliant)



IGNITION WIRES




Part No.:

P5CDTPEB

Description:

Colour: Black
Wire OD: 5.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Nylon Tape
Core: Carbon core
Resistance: 3000Ω/ft
 (9840 Ω/m) ±10%

Qty Per Reel: 20,000 ft



Part No.:

P5MDTPEB

Description:

Colour: Black
Wire OD: 5.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Nylon Tape
Core: Maglite core
Resistance: 1200Ω/ft
 (3936 Ω/m) ±10%

Qty Per Reel: 20,000 ft




Part No.:

P7CDTEEB

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: EPDM
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500 - 5000 Ω/ft
 (8202 - 16,404 Ω/m)

Qty Per Reel: 10,000 ft



Part No.:

P7MDTSSB_1200

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Nylon Tape
Core: Wire wound
Resistance: 1080 - 1320 Ω/ft
 (3542 - 4330 Ω/m)

Qty Per Reel: 10,000 ft



Part No.:

P7SDBSSB

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ Braided
Core: Silicone Coated Core
Resistance: 5000 Ω/ft
 (16400 Ω/m)±10%

Qty Per Reel: 10,000 ft



Part No.:

P7TDTSEB

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: EPDM/ DE/ Tape
Core: Tinned copper
Resistance: N/A

Qty Per Reel: 10,000 ft

IGNITION WIRES



Part No.:

P7MDTSEB_350

Description:

Colour: Black
Wire OD: 7.0mm
Outer jacket: Silicone
Inner insulation: EPDM/ DE/ Tape
Core: Wire wound
Resistance: 350 Ω /ft
 (1148 Ω /m) $\pm$ 10%

Qty Per Reel: 10,000 ft



Part No.:

P8CDTPEL

Description:

Colour: Blue
Wire OD: 8.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500-5000 Ω /ft
 (8200-16,400 Ω /m)

Qty Per Reel: 8,000 ft



Part No.:

P8CDTPEY

Description:

Colour: Yellow
Wire OD: 8.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500 - 5000 Ω /ft
 (8200 - 16400 Ω /m)

Qty Per Reel: 8,000 ft



Part No.:

P8CDTEER

Description:

Colour: Red
Wire OD: 8.0mm
Outer jacket: EPDM
Inner insulation: EPDM / DE / Tape
Core: Carbon core
Resistance: 2500-5000 Ω /ft
 (8202-16,404 Ω /m)

Qty Per Reel: 8,000 ft



Part No.:

P8MDBSSR

Description:

Colour: Red
Wire OD: 8.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Braided
Core: Wire Wound
Resistance: 1200 Ω /ft
 (3936 Ω /m) $\pm$ 10%

Qty Per Reel: 8,000 ft



Part No.:


P8MDBSSB

Description:

Colour: Black
Wire OD: 8.0mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/ Braided
Core: Wire wound
Resistance: 1000 Ω /ft
 (3281 Ω /m) $\pm$ 10%

Qty Per Reel: 8,000 ft

IGNITION WIRES




Part No.:

P8CDTPEB

Description:

Colour: Black
Wire OD: 8.0mm
Outer jacket: EPS
Inner insulation: EPDM/ DE/ Tape
Core: Carbon core
Resistance: 2500-5000 Ω /ft
 (8200-16400 Ω /m)

Qty Per Reel: 8,000 ft



Part No.:

P8MDTSSB_1200

Description:

Colour: Black
Wire OD: 8.0mm
Outer jacket: Silicone
Inner insulation: Silicone/Tape/DE
Core: Wire wound
Resistance: 1200 Ω /ft
 (3936 Ω /m) $\pm 10\%$

Qty Per Reel: 8,000 ft



Part No.:

P9.5MDBSSR

Description:

Colour: Red
Wire OD: 9.5mm
Outer jacket: Silicone
Inner insulation: Silicone/DE/Braided
Core: Maglite core
Resistance: 500 Ω /ft
 (1640 Ω /m) $\pm 10\%$

Qty Per Reel: 5,000 ft



Part No.:

P9.5MDBSSL

Description:

Colour: Blue
Wire OD: 9.5mm
Outer jacket: Silicone
Inner insulation: Silicone/ DE/Braided
Core: Maglite core
Resistance: 500 Ω /ft
 (1640 Ω /m) $\pm 10\%$

Qty Per Reel: 5,000 ft